7 .

8

9

## WHAT IS CLAIMED IS:

. 1	1.	A method of providing secondary functions from a menu
2		item graphical control, said method comprising:
3		including a plurality of graphical components with the
4		menu item graphical control, each of the
5		graphical components corresponding to a different
6		programmed function;
7		displaying the menu item graphical control with the
8		included graphical components;
9		receiving a selection from a user corresponding to one
10		of the graphical components; and
11		invoking the programmed function corresponding the
12		selected graphical component.
1	2.	The method as described in claim 1 further comprising:
2		displaying a sub-menu of selectable programmed
3		functions in response to the user selecting a
4		sub-menu graphical component.
1	3.	The method as described in claim 1 wherein at least
2		one of the graphical components includes a graphical
3		icon that is displayed on the menu item graphical
4		control.
1	4.	The method as described in claim 1 further comprising:
2		configuring the plurality of programmed functions
3		using a configuration tool;
4		modifying the menu item graphical control to include
5		the graphical components corresponding to the
6		configured programmed functions; and

saving the configured plurality of programmed

control.

functions and the modified menu item graphical

6

The method as described in claim 1 further comprising: 1 5. 2 configuring one or more secondary functions to include 3 in a sub-menu; modifying the menu item graphical control to include a 4 sub-menu graphical component corresponding to the 5 6 sub-menu; 7 saving the secondary functions and the modified menu 8 item. 1 6. The method as described in claim 1 further comprising: 2 receiving a default selection corresponding to a default area of the menu item graphical control; 3 4 and invoking a default function in response to the default 5 selection. 6 1 7. The method as described in claim 1 wherein the 2 programmed functions include one or more application 3 programs. The method as described in claim 1 wherein the 1 8. 2 programmed functions include one or more application 3 functions corresponding to an application program and wherein the menu item graphical control corresponds to 4 5 the application program. An information handling system comprising: 1 9. 2 one or more processors; 3 a memory accessible by the processors; 4 a nonvolatile storage area accessible by the 5 processors;

a display screen accessible by the processors;

7	an input device capable of a receiving input from a
8	user corresponding to data displayed on the
9	display screen; and
10	a secondary function menu item tool to include
11	secondary functions with a menu item graphical
12	control, the secondary function menu item tool
13	including:
14	display logic for displaying a plurality of
15	graphical components with the menu item
16	graphical control on the display device,
17	each of the graphical components
18	corresponding to a different programmed
19	function;
20	menu item logic for displaying the menu item
21	graphical control with the included
22	graphical components;
23	input processing logic for receiving a selection
24	from a user corresponding to one of the
25	graphical components; and
26	task scheduling logic for invoking the programmed
27	function corresponding the selected
28	graphical component.
1	10. The information handling system as described in claim

- 9 further comprising: 2
- display logic for displaying a sub-menu of selectable 3
- 4 programmed functions in response to the user 5 selecting a sub-menu graphical component.
- 11. The information handling system as described in claim 1
- 2 9 wherein at least one of the graphical components

3		includes a graphical icon that is displayed on the
4		menu item graphical control.
1	12.	The information handling system as described in claim
2		9 further comprising:
3		configuration logic for configuring the plurality of
4		programmed functions using a configuration tool;
5		graphic modification logic for modifying the menu item
6		graphical control to include the graphical
7		components corresponding to the configured
8		programmed functions; and
9		storage handling logic for saving the configured
10		plurality of programmed functions and the
11		modified menu item graphical control to the
12		nonvolatile storage area.
1	13.	A computer program product stored on a computer
2		operable medium for providing secondary functions from
3		a menu item graphical control, said computer program
4		product comprising:
5		means for including a plurality of graphical
6		components with the menu item graphical control,
7		each of the graphical components corresponding to
8		a different programmed function;
9		means for displaying the menu item graphical control
10		with the included graphical components;
11		means for receiving a selection from a user
12		corresponding to one of the graphical components;
13		and
14		means for invoking the programmed function
15		corresponding the selected graphical component.

9

1	14.	The computer program product as described in claim 13
2		further comprising:
3		means for displaying a sub-menu of selectable
4		programmed functions in response to the user
5		selecting a sub-menu graphical component.
1	15.	The computer program product as described in claim 13
2		wherein at least one of the graphical components
3		includes a graphical icon that is displayed on the
4		menu item graphical control.
1	16.	The computer program product as described in claim 13
2		further comprising:
3		means for configuring the plurality of programmed
4		functions using a configuration tool;
5		means for modifying the menu item graphical control to
6		include the graphical components corresponding to
7		the configured programmed functions; and
8		means for saving the configured plurality of
9		programmed functions and the modified menu item
10		graphical control.
1	17.	The computer program product as described in claim 13
2		further comprising:
3		means for configuring a plurality of secondary
4		functions to include in a sub-menu;
5		means for modifying the menu item graphical control to
6		include a sub-menu graphical component
7		corresponding to the sub-menu;
8		means for saving the plurality of secondary functions

and the modified menu item.

- The computer program product as described in claim 13 1 18. 2 further comprising: means for receiving a default selection corresponding 3 to a default area of the menu item graphical 4 control; and 5 means for invoking a default function in response to 6 the default selection. 7 The computer program product as described in claim 13 1 19. wherein the programmed functions include one or more 2 application programs. 3 The computer program product as described in claim 13 1 20. 2 wherein the programmed functions include one or more application functions corresponding to an application 3 program and wherein the menu item graphical control 4 5 corresponds to the application program A method of providing secondary functions from a menu 1 21. item graphical control, said method comprising: 2 3 configuring one or more secondary functions to include 4 in a sub-menu; 5 modifying the menu item graphical control to include a 6 sub-menu graphical component corresponding to the 7 sub-menu, wherein the menu item graphical control 8 further includes one or more graphical components 9 corresponding to one or more programmed 10 functions; and 11 displaying the sub-menu in response to a user 12 selecting the sub-menu graphical component.
- 1 22. A method of providing secondary functions from a menu
  2 item graphical control, said method comprising:

3	configuring a plurality of programmed functions using
4	a configuration tool;
5	identifying a plurality of graphical components for
6	each of the programmed functions;
7	modifying the menu item graphical control to include
8	the graphical components corresponding to the
9	configured programmed functions;
10	displaying the menu item graphical control with the
11	included graphical components;
12	receiving a selection from a user corresponding to one
13	of the graphical components; and
14	invoking the programmed function corresponding the
15	selected graphical component.
1	22 An information bondling gratem generating
1	23. An information handling system comprising:
2	one or more processors;
3	a memory accessible by the processors;
4	a nonvolatile storage area accessible by the
5	processors;
6	a display screen accessible by the processors;
7	an input device capable of a receiving input from a
8	user corresponding to data displayed on the
9	display screen; and
10	a secondary function menu item tool to include
11	secondary functions with a menu item graphical
12	control, the secondary function menu item tool
13	including:
14	means for configuring one or more secondary
15	functions to include in a sub-menu;
16	means for modifying the menu item graphical
17	control to include a sub-menu graphical
18	component corresponding to the sub-menu,

19		wherein the menu item graphical control
20		further includes one or more graphical
21		components corresponding to one or more
22		programmed functions; and
23		means for displaying the sub-menu in response to
24		a user selecting the sub-menu graphical
25		component.
1	24.	An information handling system comprising:
2		one or more processors;
3		a memory accessible by the processors;
4		a nonvolatile storage area accessible by the
5		processors;
6		a display screen accessible by the processors;
7		an input device capable of a receiving input from a
8		user corresponding to data displayed on the
9		display screen; and
10		a secondary function menu item tool to include
11		secondary functions with a menu item graphical
12		control, the secondary function menu item tool
13		including:
14		means for configuring a plurality of programmed
15		functions using a configuration tool;
16		means for identifying a plurality of graphical
17		components for each of the programmed
18		functions;
19		means for modifying the menu item graphical
20		control to include the graphical components
21		corresponding to the configured programmed
22		functions;

23		means for displaying the menu item graphical
24		control with the included graphical
25		components;
26		means for receiving a selection from a user
27		corresponding to one of the graphical
28		components; and
29		means for invoking the programmed function
30		corresponding the selected graphical
31		component.
. 1	2.5	The second of th
1	25.	A computer program product stored on a computer
2		operable medium for providing secondary functions from
3		a menu item graphical control, said computer program
4		product comprising:
5		means for configuring one or more secondary functions
6		to include in a sub-menu;
7		means for modifying the menu item graphical control to
8		include a sub-menu graphical component
9		corresponding to the sub-menu, wherein the menu
10		item graphical control further includes one or
11		more graphical components corresponding to one or
12		more programmed functions; and
13		means for displaying the sub-menu in response to a
14		user selecting the sub-menu graphical component.
1	26.	A computer program product stored on a computer
2		operable medium for providing secondary functions from
3		a menu item graphical control, said computer program
4		product comprising:
5		means for configuring a plurality of programmed
_		functions using a sonfiguration tool.

7	means for identifying a plurality of graphical
8	components for each of the programmed functions;
9	means for modifying the menu item graphical control to
10	include the graphical components corresponding to
11	the configured programmed functions;
12	means for displaying the menu item graphical control
13	with the included graphical components;
14	means for receiving a selection from a user
15	corresponding to one of the graphical components;
16	and
17	means for invoking the programmed function
18	corresponding the selected graphical component.